

MODERATOR OILFIELD SERVICES





COMPANY PROFILE

MODERATOR OIL FIELD SERVICES is engaged in manufacturing, supply and services of Oil well drilling Fluids , Cementing chemicals and additives, Shale shaker Screens, Rig Equipment's and Rig accessories.

Presently we have branches in India and have tie ups with overseas supply chain in Dubai, and China. With clear and strong business values The Company has emerged as a leading Drilling Fluid Supply and Services company in India.

Today, MODERATOR OIL FIELD SERVICES has significant presence in Drilling Fluid Services. Through the supply chain, the group provides value added services like Integrated Project Management by facilitating Warehousing infrastructure, Logistics, qualified Mud Engineers Team Technical Supervisors, Quality Control team, and laboratories.

With an established network of branches to provide required services to customers The Company is dealing in Basic Oil Well Drilling Chemicals and Specialties Chemicals both bulk and small packaging. Bulk imports are carried out in Kandla, Mumbai, Kakinada, Chennai ports, while FCL lots are being imported in all leading ports to meet customer requirements with best possible cost and timely delivery. All branches are connected ERP network to provide necessary MIS data, giving the managers an edge in taking decisions.

MODERATOR OIL FIELD SERVICES has become a trustworthy partner to many Drilling Fluid manufacturing companies, Mine Product companies, logistic Companies, and having own Mud Engineers Team tie-ups with Lab to provide quality products and timely delivery of range of Drilling Fluids.

In India, we have made MODERATOR OIL FIELD SERVICES, a reliable supplier to more than 9 Drilling Companies and Mud Engineering Companies.

The Company has their own set up in Mumbai, Hyderabad and Tinsukia (Assam) to execute the supply and services order in time. The company is also in process to set – up their warehouses at Tinsukia (Assam) Tripura and Mizoram to keep Drilling Fluid to meet operational urgency of customers.

The Company has also joint venture with reputed Manufacturer of Drilling Fluid in China to provide special drilling Chemicals.

MANAGEMENT

The executive personnel of the company is having extensive experience in supply and services of drilling fluids more than 8 years. He had worked with Leading Oil and Gas Company having Drilling Rigs contract with ONGC and drilled 66 wells in Ankleshwar, Frontier Basin, Rajahmundry, Sivasagar (Assam) and Tripura Assets. Founded by first-generation entrepreneurs, the company has since times built a reputation of being one of the most preferred chemical suppliers by both domestic and international suppliers.

OUR OBJECTIVES / OUR VISION

To grow and cater for Oil fields for the great cause of sufficing the energy needs of the Nation. To become a most preferred supplier by virtue of our values. MODERATOR OIL FIELD SERVICES has planned to:-

- Leveraging on the benefit of prominent ports of India.
- Warehousing strategy in Ahmedabad, Rajahmundry, Sivasagar Assam, Mizoram and Nagaland.
- Extension of network of branches with logistics arrangements
- Increasing Qualified Mud Engineers team
- Quality control lab

OUR VALUES

- Quality Commitment with specs
- Consistency in Supply and Services
- On time delivery
- International packaging standard
- International logistics systems
- Inventory insured with insurance coverage

OUR RESEARCH & DEVELOPMENT

We have one of the best of Research Team consisting of Doctors or Ph.D. Scholars from reputed Indian Institute of Technology, Research Assistants and Technicians. We are very well compatible to deliver tailored products as per specification required and develop product based on crude oil sample presented.

Our Experts have more than 35 years of experience in Oil and Gas Industry specialising in field of Chemistry and have served sincerely over years to Oil and Natural Gas Corporation (ONGC).

QHSE - GLOBAL POLICY

Company Statement for QHSE Policy

M/s Moderator Oilfield Services (MOFS) presence as a business leader and service provider in Oil and Gas Industry is mainly due to its continuous efforts to research, improve and implement the quality of services and products delivered.

Our leadership quality and ability to deliver services as per commitment have been a benchmark for service industry and is reaching beyond the global boundaries for sustainable development of worldwide business opportunity. Our company is committed to conduct all our activities with utmost regards for health and safety of everybody involved and minimize adverse effect on the environment in operational work sites.

Quality Health Safety and Environment norms followed by our organisation ensure safety of our personnel's, products, equipment's, Clients and third party contractors. Our company will meet all the regulatory requirements and at times will exceed in all our areas of operation.

The company seek a vow of commitment from all the hierarchy of employees in the organisation, Our Clients and Contractors. Implementation of QHSE policies as per standards and assurance of its compliance as prescribed is accountability of an Individual and the Upper Level Management.

Moderator Oilfield Services are committed to deliver

- Deliver Safe and Quality Product and Services
- Quality, Health, Safety and Security of Human and Environment.
- Contingency plan for respond and recover from Catastrophic, Emergency, Crisis situations.
- Reducing potential risk situation through identification of class of hazard's to eliminate accidents
- Application of all our trained skills and experience through engineered designed for meeting all QHSE aspects
- MOFS enhances the experience of our customer through proper communication of the vision and objective of safety program, policies and its effect on performance.
- Preventive measures are followed to lower or reduce financial crisis. However if occurred then such situation are taken into consideration as a monetary emergency situation and immediately necessary active measures are taken to reduce its impact.
- We believe accidents are preventable and although if it occurs then it should be seen as negligence of Management after investigation.
- Logistics and Procurement of goods and services are insured for reducing the red money loss if incurred
- Fumigation job is performed for shipment of consignments as demanded by its nature of packaging

M/s Moderator Oilfield Services undertakes the responsibility of updating, implementing and managing system for continuous improvement towards QHSE performance for our business success at Global scale.

Business-Head

Moderator Oilfield Services (MOFS)



DRILLING

Drilling of an oil and gas well consist of drilling fluid as a primary and most vital component in its operation. Drilling Fluids play various role and function in drilling a well. All the essential parameters such as viscosity, mud weight, plastic viscosity (PV), yield point (YP) and others needs to be maintained and optimised at all times to ensure safe operation. However, failure in any parameters may cause occurrence of hole problems which is not desired.

Drilling mud cost about approximately five percentage of total cost incurred in drilling a well. Any mismatch in consistency of Quality, Quantity and Quants of it formulation may lead to severe catastrophic like kick which may eventually lead to Blowout condition. Our company ensures preventing any disaster by providing required product and suggest additional product for meeting the requirement of a well.

Moderator Oilfield Services lead in supply of drilling fluid chemicals, specialised chemicals and additives required for mud systems such as Water Base Mud System (WBM), Oil Base Mud System(OBM) and Synthetic Oil Base Mud System (SOBM). Our company over years of experience have provided safe operating condition matching all the international standards requirements.

We offer wide range of specialised chemical range which is our monopoly and hold exclusive distributing rights over the globe. Our business success is our commitment to clients and quality service offered. Moderator Oilfield Services is well equipped to execute Mud Engineering and Supply service project.



DRILLING FLUID CHEMICALS

<i>Sr.no</i>	<i>Description</i>	<i>Product</i>	<i>Packaging</i>
1.	<i>HT-HP Chemicals and Polymers</i>	<ul style="list-style-type: none">• Complete range of products	50 – LB Multi wall paper bag
2.	<i>Weighing Agent</i>	<ul style="list-style-type: none">• Barite• Haematite• Calcium Carbonate	50 – LB Multi wall paper bag
3.	<i>Viscosifiers</i>	<ul style="list-style-type: none">• Bentonite• CMC– LV, HV• PAC-LV• PAC-RG• Xantham Gum (XC Polymer)• HEC• Resin• Synthetic Polymers (PGS (Starch))	50 – LB Multi wall paper bag
4.	<i>Shale Stabilizer</i>	<ul style="list-style-type: none">• Potassium Chloride• Sulfonated Asphalt• Sulfonated Asphalt- Sodium• Sulfonated Asphalt- Potassium• Sulfonated Asphalt Supreme• Ecostab Forte: An Ecofriendly Substitute for Sulphonated Asphalt	50 – LB Multi wall paper bag
5.	<i>Deflocculant and Thinners</i>	<ul style="list-style-type: none">• Lignite Powder• Caustic Lignite• Chrome Lignite• Potassium Lignite• Resinated Lignite• Chrome Free Defloc.- Chrome Free Lignosulphonate	50 – LB Multi wall paper bag
6.	<i>Fluid Loss Control Additive</i>	<ul style="list-style-type: none">• Drilling Starch – Corn / Maize• Drilling Starch – Rice• Drilling Starch – Tapioca• Drilling Starch – HTHP• PreGel Starch• Resinated Lignite• Organophilic Lignite	50 – LB Multi wall paper bag
7.	<i>Detergents</i>	<ul style="list-style-type: none">• Rig Wash• Drilling Detergent	55- Gal drums
8.	<i>Lubricants</i>	<ul style="list-style-type: none">• Extreme Pressure Lubricant• Extreme Pressure Lubricant – Silicate• Extreme Pressure Lubricant – Water• Extreme Pressure Lubricant – ENV. Friendly• Ester Based Lubricant• Extreme Pressure Torque Reducer	55- Gal Drums
9.	<i>Spotting Fluids</i>	<ul style="list-style-type: none">• Spotting Fluid – Weighted• Spotting Fluid – Non Weighted• Spotting Fluid – Asphaltic base powder	55- Gal Drums

10.	<i>Biocide, CI and Defoamers</i>	<ul style="list-style-type: none"> • Biocide – Amine • Biocide- Alcohol • Corrosion Inhibitor – Oil • Corrosion Inhibitor – Gas • Defoamer – Silicon • Defoamer – Alcohol 	55-Gal Drums
11.	<i>Weighing Agents</i>	<ul style="list-style-type: none"> • Bentonite – API and OCMA (India) • Hematite powder – API 	50 – lb.MW or 2,204-lb. big bag
12.	<i>Oil based Mud</i>	<ul style="list-style-type: none"> • Primary Emulsifier • Secondary Emulsifier • Rheology Modifier • Wetting Agent • Organophilic Clay • Organophilic Lignite 	55- Gal. drums & 50- lb. MW bags
13.	<i>Micronized Cellulosic Fibres</i>	<ul style="list-style-type: none"> • As per standard 	25 Kg bag
14.	<i>Blend of Granules, Flakes and Fibres</i>	<ul style="list-style-type: none"> • Fine • Medium • Coarse 	40-lb. bag
15.	<i>Mixture of Cellulosic Fibres</i>	<ul style="list-style-type: none"> • Fine • Medium • Coarse 	50- lb. bag
16.	<i>Screened Flakes of Calcium Carbonate</i>	<ul style="list-style-type: none"> • Fine • Medium • Coarse 	50-lb bag
17.	<i>Calcium Carbonate Powders</i>	<ul style="list-style-type: none"> • Fine • Medium • Coarse 	25 kg bag
18.	<i>Mica Flakes</i>	<ul style="list-style-type: none"> • Fine • Medium • Coarse 	25 Kg. bag
19.	<i>Ground Marble</i>	<ul style="list-style-type: none"> • Fine • Medium • Coarse 	25 Kg. bag
20.	<i>Drilling paper</i>	<ul style="list-style-type: none"> • As per standard 	25 Kg. bag
21.	<i>Synthetic Graphite</i>	<ul style="list-style-type: none"> • Fine • Medium • Coarse 	25 Kg. bag
22.	<i>Wall Nut Shells</i>	<ul style="list-style-type: none"> • Fine • Medium • Coarse 	25 Kg. bag
23.	<i>Lost Circulation Squeeze Pill/ Additive</i>	<ul style="list-style-type: none"> • As per standard 	50-lb. bag
24.	<i>Cottonseed Hull</i>	<ul style="list-style-type: none"> • As per standard 	25 Kg. bag
25.	<i>Advanced LCM Plug</i>	<ul style="list-style-type: none"> • As per standard 	Custom Packed
26.	EPI Product Range	<ul style="list-style-type: none"> • Carboxy Methyl Cellulose Detergent Grade (CMC-DG) • Carboxy Methyl Cellulose Detergent Export Grade (CMC-DGE) • Carboxy Methyl Cellulose Oil Drilling Low Viscosity Grade (CMC-LV) • Carboxy Methyl Cellulose Oil Drilling High Viscosity Grade (CMC-HV) • Carboxy Methyl Cellulose Purified (CMC-Purified) 	50 – LB Multi wall paper bag

		<ul style="list-style-type: none"> • Poly Anionic Cellulose Low Viscosity or Ultra Low Viscosity (PAC-LV or UL Technical) • Poly Anionic Cellulose Low Viscosity Oil Drilling Grade (PAC_LV (Purified)) • Poly Anionic Cellulose Regular Viscosity-purified (PAC-RG) • Pre-Gelatinized Starch (PGS) • Potassium Silicate • High Temperature Performance Polymer 	
27.	<i>Speciality Products</i>	<ul style="list-style-type: none"> • Spotting Fluids (W) and (NW) • MICA FLAX, Medium and Coarse • Nut Shell • Radia Green • Mud Circulation Loss Additives, Mix-I and Mix-II • FLC- 2000 • Biocide for Drilling • Cho Line Chloride based Polyamine • EOR (Enhance Oil Recovery) 	50 – LB Multi wall paper bag
28.	<i>Commercial Products</i>	<ul style="list-style-type: none"> • Caustic Soda • Soda ash • EP Lube • PHPA • Potassium Sulphate • Potassium Acetate • Citric Acid • Fluid Loss Control Agent • Polyamine • Defoamer • Lime • Sodium Chloride • LCM • Causticized Lignite • Viscoelastic Surfactant • Silica Floor 	50 – LB Multi wall paper bag

CONTACT



Moderator Oilfield Services

A-11 Sahil C.H.S, New Saibaba Nagar,
Kandivali (West), Mumbai - 400067,
Maharashtra, India

Tel / Fax: [+91 22 28079362](tel:+912228079362)

Cell: [+91 9867152864](tel:+919867152864)

Email: desk@moderator.co.in

Webpage: www.moderator.co.in